

Segment: 1 UNB Max. occ.: 1 Status: M Variant No.: 1
 Name: INTERCHANGE HEADER

EDIFACT-Segment	Const.	S	Remarks
UNB	UNB		
S001 M SYNTAX IDENTIFIER			
0001 M a4 Syntax identifier	+UNOC		
0002 M n1 Syntax version number	:3		
S002 M INTERCHANGE SENDER			
0004 M an..35 Sender identification	+820		Spediteurnummer No transitare N. spedizioniere (an..17)
0007 C an..4 Partner identification code qualifier		N	
0008 C an..14 Address for reverse routing		N	
S003 M INTERCHANGE RECIPIENT			
0010 M an..35 Recipient identification	+EZV		
0007 C an..4 Partner identification code qualifier		N	
0014 C an..14 Routing address		N	
S004 M DATE/TIME OF PREPARATION			
0017 M n6 Date of preparation	+060127		Format: YYMMDD
0019 M n4 Time of preparation	:1713		Format: HHMI
0020 M an..14 INTERCHANGE CONTROL REFERENCE	+ch806a00000 001		freie Wahl choix libre scelta libera
S005 C RECIPIENT'S REFERENCE PASSWORD			
0022 M an..14 Recipient's reference/password	+	N	
0025 C an2 Recipient's reference/password qualifier		N	
0026 C an..14 APPLICATION REFERENCE	+CH806A		Messagetype
0029 C a1 PROCESSING PRIORITY CODE		N	
0031 C n1 ACKNOWLEDGEMENT REQUEST		N	
0032 C an..35 COMMUNICATIONS AGREEMENT ID		N	
0035 C n1 TEST INDICATOR		N	

UNB+UNOC:3+820+EZV+060127:1713+ch806a0000001++CH806A'

Segment: 2 UNH Max. occ.: 1 Status: M Variant No.: 1
 Name: MESSAGE HEADER

EDIFACT-Segment	Const.	S	Remarks
UNH	UNH		
0062 M an..14 MESSAGE REFERENCE NUMBER	+ch806a00000 001		freie Wahl choix libre scelta libera
S009 M MESSAGE IDENTIFIER			
0065 M an..6 Message type identifier	+CUSDEC		
0052 M an..3 Message type version number	:D		
0054 M an..3 Message type release number	:96B		
0051 M an..2 Controlling agency	:UN'		
0057 C an..6 Association assigned code	:CH806A'		Msgtype
0068 C an..35 COMMON ACCESS REFERENCE		N	
S010 C STATUS OF THE TRANSFER			
0070 M n..2 Sequence message transfer number		N	
0073 C a1 First/last sequence message transfer indication		N	

UNH+ch806a00000001+CUSDEC:D:96B:UN:CH806A'

Segment: 3 **BGM** Max. occ.: 1 Status: M Variant No.: 1
 Name: Beginning of message

EDIFACT-Segment	Const.	S	Remarks
BGM	BGM		
C002 C DOCUMENT/MESSAGE NAME			
1001 C an..3 Document/message name, coded	+	N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
1000 C an..35 Document/message name		N	
C106 C DOCUMENT/MESSAGE IDENTIFICATION			
1004 C an..35 Document/message number	+00DE001005 000000M3		Nummer Transitdokument No du document de transit No documento di tranisto (an..18)
1056 C an..9 Version	:		
1060 C an..6 Revision number	:10'		Art Transitdokument Genre document de transit Genere documento di transito (n..2)
1225 C an..3 MESSAGE FUNCTION, CODED		N	
4343 C an..3 RESPONSE TYPE, CODED		N	

BGM++00DE001005000000M3::10'

Segment: 5 **LOC** Max. occ.: 99 Status: C Variant No.: 1
 Name: Place/location identification

EDIFACT-Segment	Const.	S	Remarks
LOC	LOC		
3227 M an..3 PLACE/LOCATION QUALIFIER	22		
C517 C LOCATION IDENTIFICATION			
3225 C an..25 Place/location identification	+CH001251'		Dienststellennummer tatsächliche Bestimmung Bureau de douane de destination effectif Ufficio doganale di destinazione effettivo (an8)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	
3224 C an..70 Place/location		N	
C519 C RELATED LOCATION ONE IDENTIFICATION			
3223 C an..25 Related place/location one Identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	
3222 C an..70 Related place/location one		N	
C553 C RELATED LOCATION TWO IDENTIFICATION			
3233 C an..25 Related place/location two Identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	
3232 C an..70 Related place/location two		N	
5479 C an..3 RELATION, CODED		N	

LOC+22+CH001251'

Segment: 11 **SEL** Max. occ.: 999 Status: C Variant No.: 1
 Name: Seal number

EDIFACT-Segment	Const.	S	Remarks
SEL 9308 M an..10 SEAL NUMBER	SEL +0		<i>Default</i>
C215 C SEAL ISSUER			
9303 C an..3 Sealing party, coded	+	N	
1131 C an..3 Code list qualifier	:	N	
3055 C an..3 Code list responsible agency, Coded	:	N	
9302 C an..35 Sealing party	:Nummer 1-10'		Zollverschluss-Zeichen Marques scellements douan. Marche chiusure doganali (an..20)
4517 C an..3 SEAL CONDITION, CODED		N	

SEL+0+:::Nummer 1-10'

Segment: 12 **FTX** Max. occ.: 99 Status: C Variant No.: 1
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
FTX	FTX		
4451 M an..3 TEXT SUBJECT QUALIFIER	+ACB		
4453 C an..3 TEXT FUNCTION, CODED	+	N	
C107 C TEXT REFERENCE			
4441 M an..17 Free text identification	+	N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	
C108 C TEXT LITERAL			
4440 M an..70 Free text	+DE'		Sprachencode Bestimmung Code de langue pays de destination Codice di lingua paese di destinazione (a2)
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
3453 C an..3 LANGUAGE, CODED		N	

FTX+ACB+++DE'

Segment group: **SG1** Max. occ.: 99 Status: C Variant No.: 1
 RFF-DTM-SG2
 Segment: 13 **RFF** Max. occ.: 1 Status: M Variant No.: 1
 Name: Reference

EDIFACT-Segment	Const.	S	Remarks
RFF	RFF		
C506 M			
REFERENCE			
1153 M an..3	+ABT		
Reference qualifier			
1154 C an..35	:CH123456789		Deklarationsnummer Spediteur
Reference number	012345'		No déclaration transitaire
1156 C an..6		N	N. dichiarazione spedizioniere (an..17)
Line number			
4000 C an..35		N	
Reference version number			

RFF+ABT:CH123456789012345'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1
 NAD-RFF-CTA-COM
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
NAD	NAD		
3035 M an..3 PARTY QUALIFIER	+FW		
C082 C PARTY IDENTIFICATION DETAILS			
3039 M an..35 Party id. Identification	+Testspediteur'		Spediteurnummer No transitaire N. spedizioniere (an..17)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	
C058 C NAME AND ADDRESS			
3124 M an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
C080 C PARTY NAME			
3036 M an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3045 C an..3 Party name format, coded		N	
C059 C STREET			
3042 M an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3164 C an..35 CITY NAME		N	

Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
3229 C an..9 COUNTRY SUB-ENTITY IDENTIFICATION		N	
3251 C an..9 POSTCODE IDENTIFICATION		N	
3207 C an..3 COUNTRY, CODED		N	

NAD+FW+Testspediteur'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1
 NAD-RFF-CTA-COM
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
NAD	NAD		
3035 M an..3 PARTY QUALIFIER	+DT		
C082 C PARTY IDENTIFICATION DETAILS			
3039 M an..3 Party id. Identification	+1'		Deklarantennummer No déclarant N. dichiarante (n..3)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	
C058 C NAME AND ADDRESS			
3124 M an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
C080 C PARTY NAME			
3036 M an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3045 C an..3 Party name format, coded		N	
C059 C STREET			
3042 M an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3164 C an..35 CITY NAME		N	

Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
3229 C an..9 COUNTRY SUB-ENTITY IDENTIFICATION		N	
3251 C an..9 POSTCODE IDENTIFICATION		N	
3207 C an..3 COUNTRY, CODED		N	

NAD+DT+1'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1
 NAD-RFF-CTA-COM
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
NAD	NAD		
3035 M an..3 PARTY QUALIFIER	+TD		
C082 C PARTY IDENTIFICATION DETAILS			
3039 M an..35 Party id. identification	+CH177'		Zugelassener Empfänger Kennnummer (TIN) Destinataire agréé Destinatario autorizzato (an..17)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	
C058 C NAME AND ADDRESS			
3124 M an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
3124 C an..35 Name and address line		N	
C080 C PARTY NAME			
3036 M an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3036 C an..35 Party name		N	
3045 C an..3 Party name format, coded		N	
C059 C STREET			
3042 M an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3042 C an..35 Street and number/p.o. box		N	
3164 C an..35 CITY NAME		N	

Segment: 23 NAD Max. occ.: 1 Status: M Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
3229 C an..9 COUNTRY SUB-ENTITY IDENTIFICATION		N	
3251 C an..9 POSTCODE IDENTIFICATION		N	
3207 C an..3 COUNTRY, CODED		N	

NAD+TD+CH177'

Segment group: **SG7** Max. occ.: 1 Status: C Variant No.: 1
 TOD-LOC-FTX
 Segment: 27 **TOD** Max. occ.: 1 Status: M Variant No.: 1
 Name: Terms of delivery or transport

EDIFACT-Segment	Const.	S	Remarks
TOD	TOD		
4055 C an..3 TERMS OF DELIVERY OR TRANSPORT FUNCTION, CODED	+5		
4215 C an..3 TRANSPORT CHARGES METHOD OF PAYMENT, CODED	+0		Konform Conforme Conforme (n1)
C100 C TERMS OF DELIVERY OR TRANSPORT			
4053 C an..3 Terms of delivery or transport, Coded	+	N	
1131 C an..3 Code list qualifier	:	N	
3055 C an..3 Code list responsible agency, Coded	:	N	
4052 C an..70 Terms of delivery or transport	:20060126'		Abladedatum Date du déchargement Data sullo scarico Format YYYYMMDD (n8)
4052 C an..70 Terms of delivery or transport		N	

TOD+5+0+:::20060126'

Segment group: **SG7** Max. occ.: 1 Status: C Variant No.: 1
 TOD-LOC-FTX
 Segment: 29 **FTX** Max. occ.: 1 Status: C Variant No.: 1
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
FTX	FTX		
4451 M an..3 TEXT SUBJECT QUALIFIER	+CLR		
4453 C an..3 TEXT FUNCTION, CODED	+	N	
C107 C TEXT REFERENCE			
4441 M an..17 Free text identification	+0		Zollverschlüsse OK Scellements OK Suggelli OK (n1)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	
C108 C TEXT LITERAL			
4440 M an..70 Free text	+AAAAAA		Bemerkungen Remarques Osservazioni (an..350; 1-70)
4440 C an..70 Free text	:BBBBBB		Bemerkungen Remarques Osservazioni (an..350; 71-140)
4440 C an..70 Free text	:CCCCCC		Bemerkungen Remarques Osservazioni (an..350; 141-210)
4440 C an..70 Free text	:DDDDDD		Bemerkungen Remarques Osservazioni (an..350; 211-280)
4440 C an..70 Free text	:EEEEEE'		Bemerkungen Remarques Osservazioni (an..350; 281-350)
3453 C an..3 LANGUAGE, CODED		N	

FTX+CLR++0+AAAAAA:BBBBBB:CCCCCC:DDDDDD:EEEEEE'

Segment: 33 **UNS** Max. occ.: 1 Status: M Variant No.: 1
Name: SECTION CONTROL

EDIFACT-Segment	Const.	S	Remarks
UNS 0081 M a1 SECTION IDENTIFICATION	UNS +D'		

UNS+D'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44
 Segment: 93 **CST** Max. occ.: 1 Status: M Variant No.: 1
 Name: Customs status of goods

EDIFACT-Segment	Const.	S	Remarks
CST 1496 C n..5 GOODS ITEM NUMBER	CST +1		Positionsnummer No. de la position No della posizione (n..5)
C246 C CUSTOMS IDENTITY CODES 7361 M an..18 Customs code identification	+30032410		Warennummer (Tarif-Nr) No. de tarif Voce doganale (n..8)
1131 C an..3 Code list qualifier	:169'		
3055 C an..3 Code list responsible agency, Coded		N	
C246 C CUSTOMS IDENTITY CODES 7361 M an..18 Customs code identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	
C246 C CUSTOMS IDENTITY CODES 7361 M an..18 Customs code identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	
C246 C CUSTOMS IDENTITY CODES 7361 M an..18 Customs code identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	
C246 C CUSTOMS IDENTITY CODES 7361 M an..18 Customs code identification		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	

CST+1+30032410:169'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44
 Segment: 94 **FTX** Max. occ.: 9 Status: C Variant No.: 1
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
FTX	FTX		
4451 M an..3 TEXT SUBJECT QUALIFIER	+AAA		
4453 C an..3 TEXT FUNCTION, CODED	+	N	
C107 C TEXT REFERENCE			
4441 M an..17 Free text identification	+	N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	
C108 C TEXT LITERAL			
4440 M an..70 Free text	+AAAAAA		Warenbezeichnung Désignation des marchandises Designazione merce (an..260; 1-70)
4440 C an..70 Free text	:BBBBBB		Warenbezeichnung Désignation des marchandises Designazione merce (an..260; 71-140)
4440 C an..70 Free text	:CCCCCC		Warenbezeichnung Désignation des marchandises Designazione merce (an..260; 141-210)
4440 C an..70 Free text	:DDDDDD'		Warenbezeichnung Désignation des marchandises Designazione merce (an..260; 211-260)
4440 C an..70 Free text		N	
3453 C an..3 LANGUAGE, CODED		N	

FTX+AAA+++AAAAAA:BBBBBB:CCCCCC:DDDDDD'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44
 Segment: 94 **FTX** Max. occ.: 9 Status: C Variant No.: 1
 Name: Free text

EDIFACT-Segment	Const.	S	Remarks
FTX	FTX		
4451 M an..3 TEXT SUBJECT QUALIFIER	+ABV		
4453 C an..3 TEXT FUNCTION, CODED	+	N	
C107 C TEXT REFERENCE			
4441 M an..17 Free text identification	+NP		Prüfindikator Indicateur de contrôle Indicatore del controllo (an2)
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, coded		N	
C108 C TEXT LITERAL			
4440 M an..70 Free text	+44*1'		Pointer (an..15)
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
4440 C an..70 Free text		N	
3453 C an..3 LANGUAGE, CODED		N	

FTX+ABV++NP+44*1'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44
 Segment: 97 **MEA** Max. occ.: 20 Status: C Variant No.: 1
 Name: Measurements

EDIFACT-Segment	Const.	S	Remarks
MEA	MEA		
6311 M an..3 MEASUREMENT APPLICATION QUALIFIER	+WT		
C502 C MEASUREMENT DETAILS			
6313 C an..3 Measurement dimension, coded	+AAB		
6321 C an..3 Measurement significance, coded		N	
6155 C an..17 Measurement attribute Identification		N	
6154 C an..70 Measurement attribute		N	
C174 C VALUE/RANGE			
6411 M an..3 Measure unit qualifier	+KGM		
6314 C an..18 Measurement value	:12345678.123'		Rohmasse Masse brute Massa lorda (n..11,3)
6162 C n..18 Range minimum		N	
6152 C n..18 Range maximum		N	
6432 C n..2 Significant digits		N	
7383 C an..3 SURFACE/LAYER INDICATOR, CODED		N	

MEA+WT+AAB+KGM:12345678.123'

Segment group: **SG30** Max. occ.: 9999 Status: C Variant No.: 1
 CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44
 Segment: 97 **MEA** Max. occ.: 20 Status: C Variant No.: 1
 Name: Measurements

EDIFACT-Segment	Const.	S	Remarks
MEA	MEA		
6311 M an..3 MEASUREMENT APPLICATION QUALIFIER	+WT		
C502 C MEASUREMENT DETAILS			
6313 C an..3 Measurement dimension, coded	+AAA		
6321 C an..3 Measurement significance, coded		N	
6155 C an..17 Measurement attribute identification		N	
6154 C an..70 Measurement attribute		N	
C174 C VALUE/RANGE			
6411 M an..3 Measure unit qualifier	+KGM		
6314 C an..18 Measurement value	:12345678.123'		Eigenmasse Masse nette Massa netta (n..11,3)
6162 C n..18 Range minimum		N	
6152 C n..18 Range maximum		N	
6432 C n..2 Significant digits		N	
7383 C an..3 SURFACE/LAYER INDICATOR, CODED		N	

MEA+WT+AAA+KGM:12345678.123'

Segment group: **SG31** Max. occ.: 99 Status: C Variant No.: 1
 PAC-SG32
 Segment: 100 **PAC** Max. occ.: 1 Status: M Variant No.: 1
 Name: Package

EDIFACT-Segment	Const.	S	Remarks
PAC 7224 C n..8 NUMBER OF PACKAGES	PAC +10		Anzahl Packstücke Nombre de colis Numero dei colli (n..5)
C531 C PACKAGING DETAILS			
7075 C an..3 Packaging level, coded	+		
7233 C an..3 Packaging related information, coded		N	
7073 C an..3 Packaging terms and conditions, coded		N	
C202 C PACKAGE TYPE			
7065 C an..17 Type of packages identification	+PA		Verpackungscode Code d'emballage Codice d'imballaggio (an..3)
1131 C an..3 Code list qualifier	:6		
3055 C an..3 Code list responsible agency, coded	:	N	
7064 C an..35 Type of packages	:1000'		Stückzahl Nombre de pièces No. pezzi (n..5)
C402 C PACKAGE TYPE IDENTIFICATION			
7077 M an..3 Item description type, coded		N	
7064 M an..35 Type of packages		N	
7143 C an..3 Item number type, coded		N	
7064 C an..35 Type of packages		N	
7143 C an..3 Item number type, coded		N	
C532 C RETURNABLE PACKAGE DETAILS			
8395 C an..3 Returnable package freight payment responsibility, coded		N	
8393 C an..3 Returnable package load contents, coded		N	

PAC+10++PA:6::1000'

Segment group: **SG32** Max. occ.: 999 Status: C Variant No.: 1
 PCI-FTX
 Segment: 101 **PCI** Max. occ.: 1 Status: M Variant No.: 1
 Name: Package identification

EDIFACT-Segment	Const.	S	Remarks
PCI	PCI		
4233 C an..3 MARKING INSTRUCTIONS, CODED	+28		
C210 C MARKS & LABELS			
7102 M an..35 Shipping marks	+AAAAAA		Zeichen (Nummer) Packstücke No emballage Imballaggio no. (an..42: 1-35)
7102 C an..35 Shipping marks	:BBBBBB'		Zeichen (Nummer) Packstücke No emballage Imballaggio no. (an..42: 36-42)
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
7102 C an..35 Shipping marks		N	
8275 C an..3 CONTAINER/PACKAGE STATUS, CODED		N	
C827 C TYPE OF MARKING			
7511 M an..3 Type of marking, coded		N	
1131 C an..3 Code list qualifier		N	
3055 C an..3 Code list responsible agency, Coded		N	

PCI+28+AAAAAA:BBBBBB'

Segment group: **SG35** Max. occ.: 999 Status: C Variant No.: 1
 RFF-DTM-GIN-MOA-SG36
 Segment: 106 **RFF** Max. occ.: 1 Status: M Variant No.: 1
 Name: Reference

EDIFACT-Segment	Const.	S	Remarks
RFF	RFF		
C506 M			
REFERENCE			
1153 M an..3	+AAQ		
Reference qualifier			
1154 C an..35	:CXBU100200		Container Nummer
Reference number	1'		No container
1156 C an..6			N. container (an..17)
Line number			
4000 C an..35			
Reference version number			

RFF+AAQ:CXBU1002001'

Segment group: **SG37** Max. occ.: 25 Status: C Variant No.: 1
 DOC-DTM-LOC-NAD
 Segment: 112 **DOC** Max. occ.: 1 Status: M Variant No.: 1
 Name: Document/message details

EDIFACT-Segment	Const.	S	Remarks
DOC	DOC		
C002 M DOCUMENT/MESSAGE NAME			
1001 C an..3 Document/message name, Coded	+916		
1131 C an..3 Code list qualifier	:	N	
3055 C an..3 Code list responsible agency, Coded	:	N	
1000 C an..35 Document/message name	:820		Art Unterlage-Code Genre de code de documents Genere codice documenti (an..4)
C503 C DOCUMENT/MESSAGE DETAILS			
1004 C an..35 Document/message number	+ZNUnt		Zeichen (Nummer) Unterlage Numérotation des dossiers Documento no. (an..35)
1373 C an..3 Document/message status, Coded	:	N	
1366 C an..35 Document/message source	:ZusatzAng'		Zusätzliche Angaben Indications supplémentaires Indicazioni supplementari (an..26)
3453 C an..3 Language, coded		N	
3153 C an..3 COMMUNICATION CHANNEL IDENTIFIER, CODED		N	
1220 C n..2 NUMBER OF COPIES OF DOCUMENT REQUIRED		N	
1218 C n..2 NUMBER OF ORIGINALS OF DOCUMENT REQUIRED		N	

DOC+916:::820+ZNUnt::ZusatzAng'

Segment group: **SG44** Max. occ.: 50 Status: C Variant No.: 1
 GIR-GIS-NAD-MEA-SG45-SG47-SG48
 Segment: 132 **GIR** Max. occ.: 1 Status: M Variant No.: 1
 Name: Related identification numbers

EDIFACT-Segment	Const.	S	Remarks
GIR	GIR		
7297 M an..3 SET IDENTIFICATION QUALIFIER	+3		
C206 M IDENTIFICATION NUMBER			
7402 M an..35 Identity number	+1000		Empfindliche Menge Quantité sensible Quantità sensibile (n..11,3)
7405 C an..3 Identity number qualifier		N	
4405 C an..3 Status, coded		N	
C206 C IDENTIFICATION NUMBER			
7402 M an..35 Identity number	+1'		Empfindliche Waren-Code Code marchandises sensibles Codice merci sensibile (n..2)
7405 C an..3 Identity number qualifier		N	
4405 C an..3 Status, coded		N	
C206 C IDENTIFICATION NUMBER			
7402 M an..35 Identity number		N	
7405 C an..3 Identity number qualifier		N	
4405 C an..3 Status, coded		N	
C206 C IDENTIFICATION NUMBER			
7402 M an..35 Identity number		N	
7405 C an..3 Identity number qualifier		N	
4405 C an..3 Status, coded		N	
C206 C IDENTIFICATION NUMBER			
7402 M an..35 Identity number		N	
7405 C an..3 Identity number qualifier		N	
4405 C an..3 Status, coded		N	

GIR+3+1000+1'

Segment: 145 **UNS** Max. occ.: 1 Status: M Variant No.: 1
Name: SECTION CONTROL

EDIFACT-Segment	Const.	S	Remarks
UNS 0081 M a1 SECTION IDENTIFICATION	UNS +S'		

UNS+S'

Segment: 146 **CNT** Max. occ.: 5 Status: C Variant No.: 1
 Name: Control total

EDIFACT-Segment	Const.	S	Remarks
CNT	CNT		
C270 M			
CONTROL			
6069 M an..3	+16		
Control qualifier			
6066 M n..18	:1'		Anzahl Zollverschlüsse
Control value			Nombre de scellements
			Numero di suggelli (n..4)
6411 C an..3		N	
Measure unit qualifier			

CNT+16:1'

Segment: 152 **UNT** Max. occ.: 1 Status: M Variant No.: 1
 Name: MESSAGE TRAILER

EDIFACT-Segment	Const.	S	Remarks
UNT 0074 M n..6 NUMBER OF SEGMENTS IN A MESSAGE	UNT +25		= UNH 0062
0062 M an..14 MESSAGE REFERENCE NUMBER	+ch806a00000 001'		

UNT+25+ch806a00000001'

Segment: 153 **UNZ** Max. occ.: 1 Status: M Variant No.: 1
 Name: INTERCHANGE TRAILER

EDIFACT-Segment	Const.	S	Remarks
UNZ 0036 M n..6 INTERCHANGE CONTROL COUNT	UNZ +1		
0020 M an..14 INTERCHANGE CONTROL REFERENCE	+<ch806a0000 0001'		= UNB 0020

UNZ+1+ch806a00000001'