

Segment: 1 **UNB** Max. occ.: 1 Status: M Variant No.: 1  
 Name: INTERCHANGE HEADER

EDIFACT-Segment	Const.	S	Remarks
<b>UNB</b>	UNB		
<b>S001</b> M SYNTAX IDENTIFIER			
<b>0001</b> M a4 Syntax identifier	+UNOC		
<b>0002</b> M n1 Syntax version number	:3		
<b>S002</b> M INTERCHANGE SENDER			
<b>0004</b> M an..35 Sender identification	+820		Spediteurnummer No transitaire N. spedizioniere (an..17)
<b>0007</b> C an..4 Partner identification code qualifier		N	
<b>0008</b> C an..14 Address for reverse routing		N	
<b>S003</b> M INTERCHANGE RECIPIENT			
<b>0010</b> M an..35 Recipient identification	+EZV		
<b>0007</b> C an..4 Partner identification code qualifier		N	
<b>0014</b> C an..14 Routing address		N	
<b>S004</b> M DATE/TIME OF PREPARATION			
<b>0017</b> M n6 Date of preparation	+060327		Format: YYMMDD
<b>0019</b> M n4 Time of preparation	:1713		Format: HHMM
<b>0020</b> M an..14 INTERCHANGE CONTROL REFERENCE	+ch804a00000 001		freie Wahl choix libre scelta libera
<b>S005</b> C RECIPIENT'S REFERENCE PASSWORD			
<b>0022</b> M an..14 Recipient's reference/password	+	N	
<b>0025</b> C an2 Recipient's reference/password qualifier		N	
<b>0026</b> C an..14 APPLICATION REFERENCE	+CH804A'		Messagetype
<b>0029</b> C a1 PROCESSING PRIORITY CODE		N	
<b>0031</b> C n1 ACKNOWLEDGEMENT REQUEST		N	
<b>0032</b> C an..35 COMMUNICATIONS AGREEMENT ID		N	
<b>0035</b> C n1 TEST INDICATOR		N	

UNB+UNOC:3+820+EZV+060327:1713+ch804a00000001++CH804A'

Segment: 2    **UNH**    Max. occ.: 1    Status: M    Variant No.: 1  
 Name: MESSAGE HEADER

EDIFACT-Segment	Const.	S	Remarks
<b>UNH</b>	UNH		
<b>0062</b> M an..14 MESSAGE REFERENCE NUMBER	+ ch804a000000 01		freie Wahl choix libre scelta libera
<b>S009</b> M MESSAGE IDENTIFIER			
<b>0065</b> M an..6 Message type identifier	+CUSDEC		
<b>0052</b> M an..3 Message type version number	:D		
<b>0054</b> M an..3 Message type release number	:96B		
<b>0051</b> M an..2 Controlling agency	:UN		
<b>0057</b> C an..6 Association assigned code	:CH804A'		
<b>0068</b> C an..35 COMMON ACCESS REFERENCE		N	
<b>S010</b> C STATUS OF THE TRANSFER			
<b>0070</b> M n..2 Sequence message transfer number		N	
<b>0073</b> C a1 First/last sequence message transfer indication		N	

UNH+ch804a00000001+CUSDEC:D:96B:UN:CH804A'

Segment: 3 **BGM** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Beginning of message

EDIFACT-Segment	Const.	S	Remarks
<b>BGM</b>	BGM		
<b>C002</b> C DOCUMENT/MESSAGE NAME			
<b>1001</b> C an..3 Document/message name, coded	+	N	
<b>1131</b> C an..3 Code list qualifier	:	N	
<b>3055</b> C an..3 Code list responsible agency, coded	:	N	
<b>1000</b> C an..35 Document/message name	:06DE36070051 8455M0	N	MRN (an18)
<b>C106</b> C DOCUMENT/MESSAGE IDENTIFICATION			
<b>1004</b> C an..35 Document/message number	+DekINrSped01 28'		Deklarationsnummer Spediteur No déclaration transitaire N. dichiarazione spedizioniere (an..17)
<b>1056</b> C an..9 Version		N	
<b>1060</b> C an..6 Revision number		N	
<b>1225</b> C an..3 MESSAGE FUNCTION, CODED		N	
<b>4343</b> C an..3 RESPONSE TYPE, CODED		N	

BGM+:::06DE360700518455M0+DekINrSped0128'

Segment: 5 **LOC** Max. occ.: 99 Status: C Variant No.: 1  
 Name: Place/location identification

EDIFACT-Segment	Const.	S	Remarks
<b>LOC</b>	LOC		
<b>3227</b> M an..3 PLACE/LOCATION QUALIFIER	+22		
<b>C517</b> C LOCATION IDENTIFICATION			
<b>3225</b> C an..25 Place/location identification	+CH001801'	N	Dienststellennummer tatsächliche Bestimmung Bureau de douane de destination effectif Ufficio doganale di destinazione effettivo (an8)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, Coded		N	
<b>3224</b> C an..70 Place/location		N	
<b>C519</b> C RELATED LOCATION ONE IDENTIFICATION			
<b>3223</b> C an..25 Related place/location one Identification		N	
<b>3223</b> C an..25 Related place/location one Identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, Coded		N	
<b>3222</b> C an..70 Related place/location one		N	
<b>C553</b> C RELATED LOCATION TWO IDENTIFICATION			
<b>3233</b> C an..25 Related place/location two Identification		N	
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, Coded		N	
<b>3232</b> C an..70 Related place/location two		N	
<b>5479</b> C an..3 RELATION, CODED		N	

LOC+22+CH001801'

Segment group: **SG1** Max. occ.: 99 Status: C Variant No.: 1  
 RFF-DTM-SG2  
 Segment: 13 **RFF** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Reference

EDIFACT-Segment	Const.	S	Remarks
<b>RFF</b>	RFF		
<b>C506</b> M			
REFERENCE			
<b>1153</b> M an..3	+ABE		
Reference qualifier			
<b>1154</b> C an..35	:DossierNrSpd		Dossiernummer Spediteur
Reference number	0145'		No de dossier transitaire
			N. d'incarto spedizioniere (an..22)
<b>1156</b> C an..6		N	
Line number			
<b>4000</b> C an..35		N	
Reference version number			

*RFF+ABE:DossierNrSpd0145'*

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+FW		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. identification	+820'		Spediteurnummer No transitaire N. spedizioniere (an..17)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	

Segment: 23    **NAD**    Max. occ.: 1    Status: M    Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3164</b> C    an..35 CITY NAME			
<b>3229</b> C    an..9 COUNTRY SUB-ENTITY IDENTIFICATION		N	
<b>3251</b> C    an..9 POSTCODE IDENTIFICATION		N	
<b>3207</b> C    an..3 COUNTRY, CODED		N	

NAD+FW+820'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+DT		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. identification	+1'		Deklarantenummer No déclarant N. dichiarante (an..17)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, Coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3164</b> C an..35 CITY NAME		N	



Segment: 23    **NAD**    Max. occ.: 1    Status: M    Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3229</b> C    an..9 COUNTRY SUB-ENTITY IDENTIFICATION		N	
<b>3251</b> C    an..9 POSTCODE IDENTIFICATION		N	
<b>3207</b> C    an..3 COUNTRY, CODED		N	

NAD+DT+1'

Segment group: **SG6** Max. occ.: 10 Status: C Variant No.: 1  
 NAD-RFF-CTA-COM  
 Segment: 23 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+TD		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. identification	+CH177'		Zugelassener Empfänger Kennnummer (TIN) Désinataire agréé Destinatario autorizzato (an..17)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, Coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3164</b> C an..35 CITY NAME		N	

Segment: 23    **NAD**    Max. occ.: 1    Status: M    Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3229</b> C    an..9 COUNTRY SUB-ENTITY IDENTIFICATION		N	
<b>3251</b> C    an..9 POSTCODE IDENTIFICATION		N	
<b>3207</b> C    an..3 COUNTRY, CODED		N	

*NAD+TD+CH177'*

Segment: 33    **UNS**    Max. occ.: 1    Status: M    Variant No.: 1  
Name: SECTION CONTROL

EDIFACT-Segment	Const.	S	Remarks
<b>UNS</b> <b>0081</b> M    a1 SECTION IDENTIFICATION	UNS +D'		

*UNS+D'*

Segment: 145 **UNS** Max. occ.: 1 Status: M Variant No.: 1  
Name: SECTION CONTROL

EDIFACT-Segment	Const.	S	Remarks
<b>UNS</b> <b>0081</b> M a1 SECTION IDENTIFICATION	UNS +S'		

UNS+S'

Segment: 152 **UNT** Max. occ.: 1 Status: M Variant No.: 1  
 Name: MESSAGE TRAILER

EDIFACT-Segment	Const.	S	Remarks
<b>UNT</b> <b>0074</b> M n..6 NUMBER OF SEGMENTS IN A MESSAGE	UNT <b>+10</b>		= UNH 0062
<b>0062</b> M an..14 MESSAGE REFERENCE NUMBER	+ch804a00000 001'		

*UNT+10+ch804a00000001'*

Segment: 153 **UNZ** Max. occ.: 1 Status: M Variant No.: 1  
 Name: INTERCHANGE TRAILER

EDIFACT-Segment	Const.	S	Remarks
<b>UNZ</b> <b>0036</b> M n..6 INTERCHANGE CONTROL COUNT	UNZ +1		
<b>0020</b> M an..14 INTERCHANGE CONTROL REFERENCE	+ch804a00000 001'		= UNB 0020

*UNZ+1+ch804a00000001'*