

Segment: 1 UNB Max. occ.: 1 Status: M Variant No.: 1  
 Name: INTERCHANGE HEADER

EDIFACT-Segment	Const.	S	Remarks
<b>UNB</b>	UNB		
<b>S001</b> M SYNTAX IDENTIFIER			
<b>0001</b> M a4 Syntax identifier	+UNOC		
<b>0002</b> M n1 Syntax version number	:3		
<b>S002</b> M INTERCHANGE SENDER			
<b>0004</b> M an..35 Sender identification	+EZV		
<b>0007</b> C an..4 Partner identification code qualifier		N	
<b>0008</b> C an..14 Address for reverse routing		N	
<b>S003</b> M INTERCHANGE RECIPIENT			
<b>0010</b> M an..35 Recipient identification	+820		Spediteurnummer No transitaire N. spedizioniere
<b>0007</b> C an..4 Partner identification code qualifier		N	
<b>0014</b> C an..14 Routing address		N	
<b>S004</b> M DATE/TIME OF PREPARATION			
<b>0017</b> M n6 Date of preparation	+061127		Format: YYMMDD
<b>0019</b> M n4 Time of preparation	:1713		Format: HHMM
<b>0020</b> M an..14 INTERCHANGE CONTROL REFERENCE	+ch806b00000 001		freie Wahl choix libre scelta libera
<b>S005</b> C RECIPIENT'S REFERENCE PASSWORD			
<b>0022</b> M an..14 Recipient's reference/password	+	N	
<b>0025</b> C an2 Recipient's reference/password qualifier		N	
<b>0026</b> C an..14 APPLICATION REFERENCE	+CH806B'		Message type
<b>0029</b> C a1 PROCESSING PRIORITY CODE		N	
<b>0031</b> C n1 ACKNOWLEDGEMENT REQUEST		N	
<b>0032</b> C an..35 COMMUNICATIONS AGREEMENT ID		N	
<b>0035</b> C n1 TEST INDICATOR		N	

UNB+UNOC:3+EZV+820+061127:1713+ch806b00000001++CH806B'

Segment: 2    **UNH**    Max. occ.: 1    Status: M    Variant No.: 1  
 Name: MESSAGE HEADER

EDIFACT-Segment	Const.	S	Remarks
<b>UNH</b>	UNH		
<b>0062</b> M an..14 MESSAGE REFERENCE NUMBER	+ch806b00000 001		freie Wahl choix libre scelta libera
<b>S009</b> M MESSAGE IDENTIFIER			
<b>0065</b> M an..6 Message type identifier	+CUSRES		
<b>0052</b> M an..3 Message type version number	:D		
<b>0054</b> M an..3 Message type release number	:96B		
<b>0051</b> M an..2 Controlling agency	:UN'		
<b>0057</b> C an..6 Association assigned code	:CH806B'		Msgagetype
<b>0068</b> C an..35 COMMON ACCESS REFERENCE		N	
<b>S010</b> C STATUS OF THE TRANSFER			
<b>0070</b> M n..2 Sequence message transfer number		N	
<b>0073</b> C a1 First/last sequence message transfer indication		N	

UNH+ch806b00000001+CUSRES:D:96B:UN:CH806B'

Segment: 3 **BGM** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Beginning of message

EDIFACT-Segment	Const.	S	Remarks
<b>BGM</b>	BGM		
<b>C002</b> C			
DOCUMENT/MESSAGE NAME			
<b>1001</b> C an..3	+		
Document/message name, coded			
<b>1131</b> C an..3		N	
Code list qualifier			
<b>3055</b> C an..3		N	
Code list responsible agency, coded			
<b>1000</b> C an..35		N	
Document/message name			
<b>C106</b> C			
DOCUMENT/MESSAGE IDENTIFICATION			
<b>1004</b> C an..35	+ Spedtestie0703'		Deklarationsnummer Spediteur No déclaration transitaire N. dichiarazione spedizioniere ( an..17)
Document/message number			
<b>1056</b> C an..9		N	
Version			
<b>1060</b> C an..6		N	
Revision number			
<b>1225</b> C an..3		N	
MESSAGE FUNCTION, CODED			
<b>4343</b> C an..3		N	
RESPONSE TYPE, CODED			

BGM++Spedtestie0703'

Segment group: **SG1** Max. occ.: 9 Status: C Variant No.: 1  
 NAD-SG2  
 Segment: 10 **NAD** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Name and address

EDIFACT-Segment	Const.	S	Remarks
<b>NAD</b>	NAD		
<b>3035</b> M an..3 PARTY QUALIFIER	+FW		
<b>C082</b> C PARTY IDENTIFICATION DETAILS			
<b>3039</b> M an..35 Party id. Identification	+820'		Spediteurnummer No transitaire N. spedizioniere (an..17)
<b>1131</b> C an..3 Code list qualifier		N	
<b>3055</b> C an..3 Code list responsible agency, coded		N	
<b>C058</b> C NAME AND ADDRESS			
<b>3124</b> M an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>3124</b> C an..35 Name and address line		N	
<b>C080</b> C PARTY NAME			
<b>3036</b> M an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3036</b> C an..35 Party name		N	
<b>3045</b> C an..3 Party name format, coded		N	
<b>C059</b> C STREET			
<b>3042</b> M an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3042</b> C an..35 Street and number/p.o. box		N	
<b>3164</b> C an..35 CITY NAME		N	

Segment: 10    **NAD**    Max. occ.: 1    Status: M    Variant No.: 1

EDIFACT-Segment	Const.	S	Remarks
<b>3229</b> C    an..9 COUNTRY SUB-ENTITY IDENTIFICATION		N	
<b>3251</b> C    an..9 POSTCODE IDENTIFICATION		N	
<b>3207</b> C    an..3 COUNTRY, CODED		N	

*NAD+FW+820'*

Segment group: **SG4** Max. occ.: 99 Status: C Variant No.: 1  
 ERP-RFF-ERC-FTX  
 Segment: 16 **ERP** Max. occ.: 1 Status: M Variant No.: 1  
 Name: Error point details

EDIFACT-Segment	Const.	S	Remarks
<b>ERP</b>	ERP		
<b>C701</b> C			
ERROR POINT DETAILS			
<b>1049</b> C an..3	+5'		
Message section, coded			
<b>1052</b> C an..35	:000011137'		Fehlernummer
Message item number			No d'erreur
<b>1054</b> C n..6		N	N. dell'errore (n..9)
Message sub-item number			
<b>C853</b> C			
ERROR SEGMENT POINT			
DETAILS			
<b>9166</b> C an..3		N	
Segment tag			
<b>1050</b> C an..10		N	
Sequence number			
<b>1159</b> C an..3		N	
Sequence number source, coded			

ERP+5:000011137'

Segment: 53 **UNT** Max. occ.: 1 Status: M Variant No.: 1  
 Name: MESSAGE TRAILER

EDIFACT-Segment	Const.	S	Remarks
<b>UNT</b> <b>0074</b> M n..6 NUMBER OF SEGMENTS IN A MESSAGE <b>0062</b> M an..14 MESSAGE REFERENCE NUMBER	UNT +5  +ch806b00000 001'		= UNH 0062

*UNT+5+ch806b00000001'*

Segment: 54 **UNZ** Max. occ.: 1 Status: M Variant No.: 1  
Name: INTERCHANGE TRAILER

EDIFACT-Segment	Const.	S	Remarks
<b>UNZ</b> <b>0036</b> M n..6 INTERCHANGE CONTROL COUNT <b>0020</b> M an..14 INTERCHANGE CONTROL REFERENCE	UNZ +1  +ch806b00000 001'		= UNB 0020

*UNZ+1+ch806b00000001'*